

AMENDMENT TO THE CLAIMS

Claims 1-61 (canceled)

62. (new) A breathable, stretch-thinned elastic film comprising:
a high performance styrene block copolymer elastomer;
a low performance metallocene catalyzed polyolefin elastomer; and
a plurality of filler particles;
the film having a water vapor transmission rate of at least about 1000
grams/m²/24 hours.

63. (new) A breathable, stretch-thinned elastic film comprising:
a high performance styrene block copolymer elastomer;
a low performance ethylene copolymer elastomer having a density less
than 0.90 grams/cm³; and
a plurality of filler particles;
the film having a water vapor transmission rate of at least about 1000
grams/m²/24 hours.

64. (new) The breathable, stretch-thinned film of Claim 62 or 63, wherein the styrene block copolymer elastomer comprises a tetrablock copolymer.

65. (new) The breathable, stretch-thinned film of Claim 62 or 63, wherein the styrene block copolymer elastomer comprises a diblock copolymer.

66. (new) The breathable, stretch-thinned film of Claim 62 or 63, wherein the low performance elastomer comprises an ethylene-alpha olefin copolymer in which the alpha-olefin is selected from the group consisting of 1-octene, 1-butene, 1-hexene and 4-methyl pentene.

67. (new) The breathable, stretch-thinned film of Claim 66, wherein the low performance elastomer has a density of about 0.86-0.89 grams/cm³.

68. (new) The breathable, stretch-thinned film of Claim 62 or 63, wherein the filler particles comprise inorganic filler particles.

69. (new) The breathable, stretch-thinned film of Claim 68, wherein the filler particles comprise calcium carbonate.

70. (new) The breathable, stretch-thinned film of Claim 62 or 63, comprising about 10-35% by weight of the low performance elastomer.

71. (new) The breathable, stretch-thinned film of Claim 62 or 63, comprising about 5-30% by weight of the high performance elastomer.

72. (new) The breathable, stretch-thinned film of Claim 62 or 63, comprising greater than about 50% by weight of the filler particles.

73. (new) The breathable, stretch-thinned film of Claim 62 or 63, comprising about 10-35% by weight of the low performance elastomer, about 5-30% of the high performance elastomer, and about 51-70% by weight of the filler particles.